Dovient

Monthly, with weekly items checked each week

# Veterinary clinic safety check

Veterinary OSHA & AAHA compliance checklist

Site _____ Asset or area _____ Inspected by _____ Date _____

| Item | Pass | Fail | N/A | Notes |
|---|---|---|---|---|
| **Weekly** | | | | |
| Eyewash stations flushed and unobstructed | | | | |
| Anesthesia machines pass leak check | | | | |
| Scavenging system connected and working | | | | |
| **Fire and exits** | | | | |
| Extinguishers in place, gauge in the green | | | | |
| Exit signs lit, exit routes unobstructed | | | | |
| Emergency lights work on test | | | | |
| **Chemicals and PPE** | | | | |
| Safety data sheets match chemical inventory | | | | |
| Secondary containers labeled | | | | |
| Gloves, eye protection and gowns stocked | | | | |
| Lead aprons and thyroid shields not cracked | | | | |
| **Sharps and waste** | | | | |
| Sharps containers below fill line | | | | |
| Medical waste stored in the marked area | | | | |
| **Records** | | | | |
| Dosimetry badges exchanged on schedule | | | | |
| New staff safety training recorded | | | | |

Signature: _____

Run this checklist on a phone with Dovient Lite: dovient.com/lite